



Europäisches Patentamt
European Patent Office
Office européen des brevets



Publication number: **0 540 087 A1**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: **92203195.0**

(51) Int. Cl.⁶: **A23C 13/16, A23L 1/19**

(22) Date of filing: **19.10.92**

(30) Priority: **31.10.91 EP 91310098**

(43) Date of publication of application:
05.05.93 Bulletin 93/18

(84) Designated Contracting States:
AT BE CH DE DK ES FR GB GR IE IT LI NL PT SE

(71) Applicant: **UNILEVER N.V.**
P.O. Box 760

NL - 3000 DK Rotterdam(NL)

(84) **BE CH DE DK ES FR GR IT LI NL PT SE AT**

(71) Applicant: **UNILEVER PLC**
Unilever House Blackfriars P.O. Box 68
London EC4P 4BQ(GB)

(84) **GB IE**

(72) Inventor: **Campbell, Iain James, Unilever Res.**
Colworth Lab.

Colworth House Sharnbrook

Bedford MK44 1LQ(GB)

Inventor: **Morley, Wayne Gerald, Unilever Res.**
Colworth Lab.

Colworth House Sharnbrook

Bedford MK44 1LQ(GB)

Inventor: **Norton, Ian Timothy, Unilever Res.**
Colworth Lab.

Colworth House Sharnbrook

Bedford MK44 1LQ(GB)

Inventor: **Fournier, Pascale**

19 Rue Gregoire de Tours

F - 75006 Paris(FR)

(74) Representative: **Hartong, Richard Leroy et al**
Unilever N.V. Patent Division P.O. Box 137
NL - 3130 AC Vlaardingen (NL)

(54) **Spoonable soured low-fat non dairy creams.**

(57) The invention concerns with soured, water-continuous creams that are free of emulsifier and contain 5-15 wt% of at least a vegetable fat, a protein component and a thickener composition. Those creams are stable and spoonable according to the definition hereof in the specification. Also a process for the preparation of those creams is part of the invention.

EP 0 540 087 A1

Spoonable creams are well known in Great Britain. Although the rheological parameters of creams and emulsions are defined in P. Sherman, Emulsion Science, Academic Press 1968, the term spoonable is not defined therein. According to our definition, a spoonable cream should display the following rheological behaviour at 5 °C.

- 1) the yield value (also called: yield stress) should be more than 50 Pa extrapolated from shear rates between 100 – 300 S⁻¹ (Bingham);
- 2) the Bingham viscosity should be less than 500 mPa s between shear rates of 100 – 300 S⁻¹;
- 3) the failure to stress should occur at a strain of less than 0.5 Radians, preferably less than 0.1 Radians.

Yield values and Bingham viscosities were determined utilising the Carrimed Rheometer. Measurements were performed at 5 °C, using 4 ° cone and plate geometry. The shear stress was increased from zero at a rate of 60 Pa/min, and shear rates were measured until values in excess of 600 s⁻¹ were achieved. The experiment was then terminated. A graph of shear stress vs shear rate was plotted, and a straight line fitted to the curve between the shear rates of 100 – 300 s⁻¹. The slope of this line was the Bingham viscosity. The yield stress was determined by extrapolation of this line back to zero shear rate.

The failure to stress measurements were determined utilising the Carrimed Rheometer. Measurements were performed at 5 °C, using a 4 ° cone and plate geometry. The experiments performed were torque sweeps in oscillation mode. The samples were oscillated at a frequency of 1Hz, as the torque was increased from 50 – 5000 μNm in thirty steps. The measurement time at each torque value was 10 sec, and the time between measurements was 5 sec. The parameters measured were storage modulus (G'), loss modulus (G'') and strain (in radians). A graph of G' and G'' vs strain was then plotted. At low strain values the samples displayed solid-like characteristics, and G' > G''. At higher strain values G'' > G' and the failure to stress was defined as the strain at which G' = G''.

Low fat soured creams, based on dairy fats are known from J. of Dairy Science 86, Ann. Meeting Am. Dairy Sciency Ass 74 (1991), Aug. 12 – 15, Suppl. 1. These creams contain stabilisers, such as gelatin, modified starch, guar gum, locust bean gum, carrageenan, or pectins. As the rheological parameters are not mentioned, it remains unanswered whether these products meet our criteria for spoonability.

It is further known from DE 1,692,584 that unctuous food products, based on milk protein and vegetable fat (fat contents: 1 – 50 wt%) can be obtained when the compositions contain edible organic acids and an emulsifier combination and optionally a small amount of gelatin. According to this document it is essential that a combination of different locust bean gums is present. It can not be concluded from this document, whether the rheology of the product makes it spoonable or not.

It is for the purpose of obtaining healthier products, i.e. products containing more unsaturated or at least fewer saturated fatty acid moieties, that attempts have been made to produce a low-fat equivalent of a soured, spoonable dairy cream. However, so far any efforts to produce a soured, spoonable low-fat cream, thus one containing at least a vegetable fat in levels up to 15 wt.% with the desired properties have been unsuccessful: Either the stability or the rheology of the creams was insufficient.

Therefore, so far no low-fat equivalent of a soured, spoonable non-dairy cream with the required properties was available.

We have now found a solution to the problems mentioned above. Therefore, our invention is concerned in the first place with soured, water-continuous creams free from emulsifiers, comprising 5 – 15 wt.% of at least a vegetable fat, optionally mixed with butterfat or fractions thereof a protein component and a thickener system, which soured creams are stable and spoonable. In this respect, the term stable is defined as: the cream can be stored for at least 14 days at a temperature of 0 – 15 °C, such that the rheology remains within our definition of spoonable, no serum leakage occurs, and the cream remains micro-biologically stable.

We have defined spoonable based on standard rheological tests. Such tests have been discussed by Sherman.

The pH of our soured, spoonable non-dairy creams is in general 4.0 – 4.8, preferably 4.4 – 4.6.

Although the fat level of our new compositions can range from 5 – 15 wt.%, it is preferred to use fat levels of less than 10 wt.%.

The fats that can be used in our creams are butterfat and the well-known vegetable fats. Preferred fats, however, are: palmkernel oil, soybean oil, rapeseed oil, coconut oil, sunflower oil, safflower oil, butterfat or fully or partially hardened fractions thereof. It should be noted here that butterfat is only applied in admixture with a vegetable fat.

It is also possible to use indigestible "fats", such as the well-known sucrose poly fatty acid esters (SPE's) as "fat" component in our creams.

The butterfat is preferably present in an amount of 2 – 10 wt.% calculated on the basis of the total cream.

Although the highest data for yield stress are obtained when firm (i.e. hardened) fat blends are used, it is possible to use fat compositions that are completely liquid. As these liquid fats are normally highest in unsaturated fatty acids, these compositions will be the healthiest.

In order to obtain good taste, the correct acidity level, but also good rheological properties, it is preferred that a protein component be present in our compositions. Very suitable milk protein components are buttermilk powder (B.M.P) and skimmed milk powder (S.M.P).

The amounts of B.M.P and/or S.M.P are suitably between 0.1 – 10.0 wt.% (calculated on the total cream), preferably between 0.3 and 2.0 wt.%.

Because of the low fat levels of our creams it is difficult to produce a spoonable low-fat non-dairy cream that also displays an acceptable yield stress (i.e. yield stress of more than 50 Pa). We have found that the desired yield stress can be obtained when a thickener system is incorporated into our new creams. The thickeners can be selected from the group consisting of locust bean gum, guar gum, alginate, carrageenan, microcrystalline cellulose, but also starches and hydrolyzed starches can be used.

The starches can be derived from any source, such as rice, maize, potato or tapioca.

The amount of thickener that is required depends on the fat system used. In general, amounts of 0.2 – 20.0 wt.%, preferably 0.4 – 10.0 wt.%, give very suitable results (on the basis of the total cream).

Another important factor for the rheological and organoleptic properties of our non-dairy creams is the droplet size of the fat droplets in our emulsions. The droplet size should preferably not be greater than 5.0 μm , more preferably less than 2.0 μm .

The invention is further concerned with a process for the preparation of a soured cream. This process comprises at least the steps of:

- making at least one pre-mix of fat(s), protein component(s), in particular B.M.P and/or S.M.P, thickeners and water or skimmed milk at a temperature of 40 – 100 °C;
- cooling the pre-mix(es) to 40 – 70 °C;
- homogenizing the pre-mix(es) in at least a single stage under pressure;
- cooling the homogenized pre-mix(es) to a temperature of 5 – 30 °C;
- adding to the pre-mix(es) a culture medium capable of converting lactose into lactic acid by fermentation;
- fermenting the pre-mix(es) until a pH = 4.0 – 4.6;
- where appropriate, mixing the fermented premix(es);
- storing the fermented mixture at a temperature of less than 15 °C, preferably 0 – 10 °C.

In the above-mentioned process the homogenization pressure is preferably in the range of 10 – 250 bar. If the pressure is above 100 bar, then a second stage homogenization of 20 – 100 bar is required.

This process is applied for the preparation of the soured, spoonable non-dairy creams as disclosed above.

EXAMPLE I

A non-dairy cream comprising 10 wt% of fat was prepared with the following composition

	wt%
palm kernel oil m.p. 38 °C	10.0
Skimmed milk	78.0
Skimmed milk powder	10.0
Starch	1.5
Thickener (LBG)	0.5

The dry ingredients were dispersed in skimmed milk at 90 °C. The premix was cooled to 60 °C, whereupon the palm kernel oil was added. The emulsion was homogenised at a pressure of 100 bar and pasteurized. It was cooled to 5 °C and stored overnight. 1% of a culture medium was added, and the cream kept at 25 °C for 22 hours. It was finally stored at 5 °C.

The rheological data were as follows:

Extrapol. yield stress	140 Pa
Bingham visc.	145 mPa.s
Failure to stress	0.013 radians

5

EXAMPLE II

Example I was repeated, except that 10% sunflower oil was used instead of 10% a palm kernel -38.
 10 The rheological data were:

Extrapol. yield stress	179 Pa
Bingham visc.	148 mPa.s
Failure to stress	0.021 radians

15

Claims

- 20 1. A soured, water - continuous cream, characterized in that it is free from emulsifiers and comprises 5 - 15 wt.% of at least a vegetable fat, optionally admixed with butterfat or fractions thereof, a protein component and a thickener composition, which soured cream is stable and spoonable and displays the following characteristics :
 - 25 a) a yield value of more than 50 Pa extrapolated from shear rates between 100 - 300 S^{-1} (Bingham);
 - b) a Bingham viscosity of less than 500 mPa s between shear rates of 100 - 300 S^{-1} ;
 - c) failure to stress at a strain of less than 0.5 Radians.
- 30 2. A soured cream according to Claim 1, wherein the pH of the cream is 4.0 - 4.8.
3. A soured cream according to Claims 1 - 2, wherein the fat level is less than 10 wt%.
4. A soured cream according to Claims 1 - 3, wherein the fat is at least one of the group consisting of butterfat, palmkernel oil, soybean oil, rapeseed oil, coconut oil, sunflower oil, safflower oil, sucrose poly
 35 fatty acid esters or fully or partially hardened fractions thereof with the pre - requisite that the fat never consists of butterfat or butterfat - fractions only.
5. A soured cream according to Claim 4, wherein the butterfat is present in amounts of 2 - 10 wt.% of the total cream.
- 40 6. A soured cream according to Claim 1, wherein the fat is a fully liquid oil or a blend of liquid oils.
7. A soured cream according to Claims 1 - 6, wherein the cream contains 0.1 - 10.0 wt.% of buttermilk powder and/or skimmed milk powder as protein component.
- 45 8. A soured cream according to Claim 7, wherein the level of buttermilk powder and/or skimmed milk powder is 0.3 - 2.0 wt.%.
9. A soured cream according to Claims 1 - 8, wherein the droplet size of the fat droplets is less than 5.0
 50 μm , preferably less than 2.0 μm .
10. A soured cream according to Claims 1 - 9, wherein 0.2 - 20.0 wt.%, in particular 0.4 - 10.0 wt.% (on the basis of the total cream) of a thickener system is present.
- 55 11. A soured cream according to Claim 10, wherein the thickener system comprises at least one of the compounds : locust bean gum, guar gum, alginate, carrageenan, microcrystalline cellulose or starch.
12. A process for the preparation of a soured cream comprising the steps of :

- making at least one pre-mix of fat(s), protein component(s), thickeners and water or skimmed milk at a temperature of 40 – 100 ° C;
- cooling the pre-mix(es) to 45 – 70 ° C;
- homogenizing the pre-mix(es) in a single stage under pressure;
- 5 - cooling the homogenized pre-mix(es) to a temperature of 5 – 30 ° C;
- adding to the pre-mix(es) a culture medium capable of converting lactose into lactic acid by fermentation;
- fermenting the pre-mix(es) until a pH = 4.0 – 4.6;
- where appropriate, mixing the fermented premix(es);
- 10 - storing the fermented mixture at a temperature of less than 15 ° C, preferably 0 – 10 ° C.

13. A process according to Claim 12, wherein a single stage homogenization procedure is used, applying a pressure of 10 – 250 bar.

- 15 14. A process according to Claims 12 – 13, wherein the process is applied for the preparation of stable, spoonable, soured creams with the composition of Claims 1 – 11.

20

25

30

35

40

45

50

55



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

EP 92 20 3195

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
X,D Y A	DE-A-1 692 584 (F. ALBRECHT) * claims 1,2,4-6 * * page 1, paragraph 1 * * page 2, paragraph 2 * * page 3, paragraph 1 - page 4, paragraph 2 * * page 5, paragraph 2 - page 7, paragraph 1 * * examples 1,2 * ---	12 13 1-8,10, 11	A23C13/16 A23L1/19
Y	J.F. BOUDIER 'Dictionnaire Laitier (2nd Ed.)' 1981, TECHNIQUE & DOCUMENTATION, PARIS, FRANCE Page 62 * 'Homogeneisation' * ---	13	
A	JOURNAL OF DAIRY SCIENCE. vol. 74, no. 8, August 1991, CHAPAIN, ILLINOIS US page 126 F.Y. LEE 'Effects of stabilizers and rennet on sensory and physical properties in lowfat sour cream.' * Abstract D136 * ---	6,13	TECHNICAL FIELDS SEARCHED (Int. Cl.5) A23C A23L
A	GB-A-309 836 (C.W.A. KLEINE) * claims 1,2,4 * * page 1, line 10 - line 40 * * page 2, line 42 - line 91 * ---	1,12	
P,A	EP-A-0 483 896 (UNILEVER) * claim 1 * -----	1	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 03 FEBRUARY 1993	Examiner VUILLAMY V.M.L.
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

